

# CAST Fixture Photometrics

## CAST DECK LIGHT (CDL1CB)

**FOOTCANDLES AT 24" ABOVE GRADE**

Distance from Center	Footcandles	
	10W	20W
4'	.05	
3'	0.1	0.2
2'	0.3	0.7
1'	1.2	2.8

## FOOTCANDLES AT 36" ABOVE GRADE

Distance from Center	Footcandles	
	10W	20W
4'	.05	
3'	0.05	0.1
2'	0.1	0.3
1'	0.4	0.9
0'	0.8	1.6

## CAST SAVANNAH DECK LIGHT (CDL2CB)

**FOOTCANDLES AT 24" ABOVE GRADE**

Distance from Center	Footcandles	
	10W	20W
4'	.05	.1
3'	0.2	0.5
2'	1.0	2.3
1'	2.8	6.5

## FOOTCANDLES AT 36" ABOVE GRADE

Distance from Center	Footcandles	
	10W	20W
4'	.05	.1
3'	0.1	0.2
2'	0.4	0.9
1'	0.8	1.9
0'	1.2	2.8

## CAST WALL WASH (CWW1CB)

Distance from Center	Footcandles		
	2'	4'	6'
12'			0.1
10'		0.1	0.2
8'	0.1	0.3	0.4
6'	0.4	0.7	0.6
4'	1.2	1.4	1.0
2'	5.0	3.3	2.0

Distance from Wall

## CAST NICHE LIGHT (CNL1CB)

Distance from Center	Footcandles		
	4'	8'	12'
12'			0.05
10'			0.1
8'	0.2	0.1	0.1
6'	0.3	0.2	0.2
4'	0.5	0.3	0.2
2'	1.0	0.4	0.2

Mounting Height

## CAST ENGINEERED WALL LIGHT (CEWL5CB)


Distance from Center	Footcandles			
	8"	12"	24"	30"
6'				0.03
5'			0.05	0.04
4'	0.05	0.1	0.1	0.1
3'	0.05	0.1	0.3	0.3
2'	0.2	0.4	0.8	0.8
1'	3.5	3.0	2.2	1.2

Mounting Height


## CAST PATH LIGHTS

Distance from Center	CCH1CB	CCH2CB	CCH5CB	CMU1CB	CMU2CB	CNO1CB	CSA1CB
	8'						
6'	0.1	0.1		0.1	0.1	0.1	0.3
4'	0.3	0.5	0.1	0.2	0.5	0.2	0.9
2'	2	2.4	0.5	2	3	2	5.4



# CAST Fixture Photometrics



# CAST PAR36 Photometrics







# CAST PAR36 Photometrics (cont.)





# CAST MR-16 Photometrics



# CAST MR-11 Photometrics

